


PRESCOT

LED LUMINAIRES

PROFFESA





PROFFESA



SURFACE MOUNT



CATALOG NO.	POWER [W]	COLOR TEMPERATURE	BRIGHTNESS [lm]	VOLTAGE [V]	Ra	HOUSING	COVER	TYPE	PROTECTION	DIMENSION [mm]	EAN
OP-PROF-50N13WW9005O	13	3000K	1900	220-240	80	9005	opal	on/off	IP20	500x60x60	5903684850464
OP-PROF-50N13NW9005O	13	4000K	2000	220-240	80	9005	opal	on/off	IP20	500x60x60	5903684854196
OP-PROF-50N13W9005O	13	6000K	2000	220-240	80	9005	opal	on/off	IP20	500x60x60	5903684855537
OP-PROF-50N19WW9005O	19	3000K	3000	220-240	80	9005	opal	on/off	IP20	500x60x60	5903684855629
OP-PROF-50N19NW9005O	19	4000K	3200	220-240	80	9005	opal	on/off	IP20	500x60x60	5903684855636
OP-PROF-50N19W9005O	19	6000K	3200	220-240	80	9005	opal	on/off	IP20	500x60x60	5903684855643
OP-PROF-100N26WW9005O	26	3000K	3800	220-240	80	9005	opal	on/off	IP20	1005x60x60	5903684850327
OP-PROF-100N26NW9005O	26	4000K	4000	220-240	80	9005	opal	on/off	IP20	1005x60x60	5903684855544
OP-PROF-100N26W9005O	26	6000K	4000	220-240	80	9005	opal	on/off	IP20	1005x60x60	5903684855551
OP-PROF-100N38WW9005O	38	3000K	6000	220-240	80	9005	opal	on/off	IP20	1005x60x60	5903684855650
OP-PROF-100N38NW9005O	38	4000K	6300	220-240	80	9005	opal	on/off	IP20	1005x60x60	5903684855667
OP-PROF-100N38W9005O	38	6000K	6300	220-240	80	9005	opal	on/off	IP20	1005x60x60	5903684855674

SURFACE MOUNT



CATALOG NO.	POWER [W]	COLOR TEMPERATURE	BRIGHTNESS [lm]	VOLTAGE [V]	Ra	HOUSING	COVER	TYPE	PROTECTION	DIMENSION [mm]	EAN
OP-PROF-120N34WW90050	34	3000K	5100	220-240	80	9005	opal	on/off	IP20	1205x60x60	5903684855568
OP-PROF-120N34NW90050	34	4000K	5500	220-240	80	9005	opal	on/off	IP20	1205x60x60	5903684851775
OP-PROF-120N34W90050	34	6000K	5500	220-240	80	9005	opal	on/off	IP20	1205x60x60	5903684855575
OP-PROF-150N43WW90050	43	3000K	7100	220-240	80	9005	opal	on/off	IP20	1500x60x60	5903684855582
OP-PROF-150N43NW90050	43	4000K	7500	220-240	80	9005	opal	on/off	IP20	1500x60x60	5903684851515
OP-PROF-150N43W90050	43	6000K	7500	220-240	80	9005	opal	on/off	IP20	1500x60x60	5903684855599
OP-PROF-300N64WW90050	64	3000K	9900	220-240	80	9005	opal	on/off	IP20	3000x60x60	5903684851867
OP-PROF-300N64NW90050	64	4000K	10500	220-240	80	9005	opal	on/off	IP20	3000x60x60	5903684855605
OP-PROF-300N64W90050	64	6000K	10500	220-240	80	9005	opal	on/off	IP20	3000x60x60	5903684855612
OP-PROF-300N85WW90050	85	3000K	14100	220-240	80	9005	opal	on/off	IP20	3000x60x60	5903684855681
OP-PROF-300N85NW90050	85	4000K	14900	220-240	80	9005	opal	on/off	IP20	3000x60x60	5903684855698
OP-PROF-300N85W90050	85	6000K	14900	220-240	80	9005	opal	on/off	IP20	3000x60x60	5903684855704

WALL LAMP



CATALOG NO.	POWER [W]	COLOR TEMPERATURE	BRIGHTNESS [lm]	VOLTAGE [V]	Ra	HOUSING	COVER	TYPE	PROTECTION	DIMENSION [mm]	EAN
OP-PROF-50K13WW9005O	13	3000	1900	220-240	80	9005	opal	on/off	IP20	505x98x60	5903684855711
OP-PROF-50K13NW9005O	13	4000K	2000	220-240	80	9005	opal	on/off	IP20	505x98x60	5903684855728
OP-PROF-50K13W9005O	13	6000K	2000	220-240	80	9005	opal	on/off	IP20	505x98x60	5903684855735
OP-PROF-100K26WW9005O	26	3000K	3800	220-240	80	9005	opal	on/off	IP20	1005x98x60	5903684855742
OP-PROF-100K26NW9005O	26	4000K	4000	220-240	80	9005	opal	on/off	IP20	1005x98x60	5903684855759
OP-PROF-100K26W9005O	26	6000K	4000	220-240	80	9005	opal	on/off	IP20	1005x98x60	5903684855766
OP-PROF-50K213WW9005O	2x13	3000K	3800	220-240	80	9005	opal	on/off	IP20	505x98x60	5903684855773
OP-PROF-50K213NW9005O	2x13	4000K	4000	220-240	80	9005	opal	on/off	IP20	505x98x60	5903684855780
OP-PROF-50K213W9005O	2x13	6000K	4000	220-240	80	9005	opal	on/off	IP20	505x98x60	5903684855797
OP-PROF-100K226WW9005O	2x26	3000K	7600	220-240	80	9005	opal	on/off	IP20	1005x98x60	5903684855803
OP-PROF-100K226NW9005O	2x26	4000K	8000	220-240	80	9005	opal	on/off	IP20	1005x98x60	5903684855810
OP-PROF-100K226W9005O	2x26	6000K	8000	220-240	80	9005	opal	on/off	IP20	1005x98x60	5903684855827

SUSPENDED



CATALOG NO.	POWER [W]	COLOR TEMPERATURE	BRIGHTNESS [lm]	VOLTAGE [V]	Ra	HOUSING	COVER	TYPE	PROTECTION	DIMENSION [mm]	EAN
OP-PROF-50Z13WW9005O	13	3000K	1900	220-240	80	9005	opal	on/off	IP20	500x60x60	5903684855834
OP-PROF-50Z13NW9005O	13	4000K	2000	220-240	80	9005	opal	on/off	IP20	500x60x60	5903684855841
OP-PROF-50Z13W9005O	13	6000K	2000	220-240	80	9005	opal	on/off	IP20	500x60x60	5903684855858
OP-PROF-50Z19WW9005O	19	3000K	3000	220-240	80	9005	opal	on/off	IP20	500x60x60	5903684855865
OP-PROF-50Z19NW9005O	19	4000K	3200	220-240	80	9005	opal	on/off	IP20	500x60x60	5903684855872
OP-PROF-50Z19W9005O	19	6000K	3200	220-240	80	9005	opal	on/off	IP20	500x60x60	5903684855889
OP-PROF-100Z26WW9005O	26	3000K	3800	220-240	80	9005	opal	on/off	IP20	1005x60x60	5903684855896
OP-PROF-100Z26NW9005O	26	4000K	4000	220-240	80	9005	opal	on/off	IP20	1005x60x60	5903684852284
OP-PROF-100Z26W9005O	26	6000K	4000	220-240	80	9005	opal	on/off	IP20	1005x60x60	5903684855902
OP-PROF-100Z38WW9005O	38	3000K	6000	220-240	80	9005	opal	on/off	IP20	1005x60x60	5903684855919
OP-PROF-100Z38NW9005O	38	4000K	6300	220-240	80	9005	opal	on/off	IP20	1005x60x60	5903684855926
OP-PROF-100Z38W9005O	38	6000K	6300	220-240	80	9005	opal	on/off	IP20	1005x60x60	5903684855933

SUSPENDED



CATALOG NO.	POWER [W]	COLOR TEMPERATURE	BRIGHTNESS [lm]	VOLTAGE [V]	Ra	HOUSING	COVER	TYPE	PROTECTION	DIMENSION [mm]	EAN
OP-PROF-120Z34WW90050	34	3000K	5100	220-240	80	9005	opal	on/off	IP20	1205x60x60	5903684855940
OP-PROF-120Z34NW90050	34	4000K	5500	220-240	80	9005	opal	on/off	IP20	1205x60x60	5903684855957
OP-PROF-120Z34W90050	34	6000K	5500	220-240	80	9005	opal	on/off	IP20	1205x60x60	5903684855964
OP-PROF-150Z43WW90050	43	3000K	7100	220-240	80	9005	opal	on/off	IP20	1500x60x60	5903684855971
OP-PROF-150Z43NW90050	43	4000K	7500	220-240	80	9005	opal	on/off	IP20	1500x60x60	5903684855988
OP-PROF-150Z43W90050	43	6000K	7500	220-240	80	9005	opal	on/off	IP20	1500x60x60	5903684855995
OP-PROF-300Z64WW90050	64	3000K	9900	220-240	80	9005	opal	on/off	IP20	3000x60x60	5903684856008
OP-PROF-300Z64NW90050	64	4000K	10500	220-240	80	9005	opal	on/off	IP20	3000x60x60	5903684856015
OP-PROF-300Z64W90050	64	6000K	10500	220-240	80	9005	opal	on/off	IP20	3000x60x60	5903684856022
OP-PROF-300Z85WW90050	85	3000K	14100	220-240	80	9005	opal	on/off	IP20	3000x60x60	5903684854431
OP-PROF-300Z85NW90050	85	4000K	14900	220-240	80	9005	opal	on/off	IP20	3000x60x60	5903684856039
OP-PROF-300Z85W90050	85	6000K	14900	220-240	80	9005	opal	on/off	IP20	3000x60x60	5903684856046

PRESCOT LED

PRESCOT Sp. z o.o.

Wilenska 1, 11-500 Gizycko

Telephone: +48 87 428 21 18

Fax: +48 87 428 17 09

komponenty@prescot.pl

www.prescot.pl